

09 00 03 GENERAL PROVISIONS

1. General

- A. For renovation projects, consider the building's character and existing finishes. All material patches should blend as closely as possible. Some buildings on campus have an existing palette that must be matched. Coordinate with the SHSU Project Manager.
- B. Design reviews by the SHSU Project Manager and SHSU Senior Designer are required for all finish selections.
- C. All specified materials must have a demonstrated history in a similar institutional setting, with similar regularity of cleaning and maintenance, for at least five years.
- D. Color-through homogeneous materials are preferred.
- E. Avoid custom designed colors and finish materials.
- F. Avoid material(s) that require routine sealing or significant specialized maintenance.
- G. Construction documents must clearly identify and note all finishes, including their extent of coverage.
- H. Stencil fire rating above ceiling at all fire rated walls, in 6" high letters at 20" on center.
- I. All finishes must complete offgassing prior to Substantial Completion.
- J. No wallpaper or vinyl wall covering.

2. Sustainable Design:

- A. The University promotes energy efficient green design, construction and building operations.
- B. All materials must meet SHSU performance standards.

09 20 00 PLASTER AND GYPSUM BOARD

09 21 13 Plaster Assemblies

- 1. When used at ceilings or soffits, provide access panels at regular spacing where required for access.

09 21 16 Gypsum Board Assemblies

- A. Use of "J" mold at finished edges of drywall is required.
- B. Control joints will be installed at all top corners of interior doors and windows.

09 23 00 GYPSUM PLASTERING – prohibited.

09 29 00 GYPSUM BOARD

- 1. Use fire resistant gypsum board wherever 5/8" thick or greater gypsum board is used.
- 2. High traffic areas:
- 3. Wet areas and/or tile backer board:
 - A. Use cement backer board for tile.
 - 1. Required for shower stalls-4.6 (>c1 s)8.5 2-4.6 (a)10.9 (s)hou0.8 (f)-3.9 (ss)8.5 o0.9

09 30 00 TILE

SAM

SAM

